

**EHR Demonstration Data Elements for Preventive Care
Chart-based Measures that Office Staff Will Enter into the PAT Tool**

Category	Measure	Element	PAT Tool Data Element Name	Options from the PAT Tool	Description
Preventive Care	All Preventive Care (PC) Measures (prerequisite for whether office staff enters/ provides data for the selected patient for any of the PC measures)	Confirm Diagnosis of at least one Chronic Condition: Alzheimer's and Mental Health Dx, Cancer, Congestive Heart Failure, Coronary Artery Disease, Diabetes Mellitus, Kidney Disease, Lung Disease, Other Chronic Cardiac or Circulatory Disease, Other Chronic Diseases (Osteoporosis and Arthritis)	PCCONFIRMED	Yes No Med. rec. not found	Determine if the patient has documentation of at least one of the specified chronic conditions: <ul style="list-style-type: none"> Indicates the patient has a chronic condition Indicates the patient does <u>not</u> have a chronic condition Indicates the patient's medical record could not be found <p><i>(if respond no or skip-record not found, then stop abstraction for that patient and proceed to the next quality measure category)</i></p>
Preventive Care	PC-1: Percentage of patient visits for patients 18 years and older with blood pressure measurement recorded	Blood Pressure Measurement	PCBPMEASURE	Yes No	Determine if the patient's BP measurement was recorded at every office/clinic visit: <ul style="list-style-type: none"> Indicates the patient's BP was recorded at this office/clinic visit Indicates the patient's BP was <u>not</u> recorded at this office/clinic visit

EHR Demonstration Data Elements for Preventive Care
Chart-based Measures that Office Staff Will Enter into the PAT Tool

Category	Measure	Element	PAT Tool Data Element Name	Options from the PAT Tool	Description
Preventive Care	PC-5: Percentage of women 40-69 years of age who had a mammogram to screen for breast cancer <i>This is a claims-based measure</i>	Breast Cancer Screening	PCMAMMOGRAM	Yes No Medical reason No Medicare claims found	Determine if a mammogram was performed during the measurement period or year prior to the measurement period: <ul style="list-style-type: none"> • Indicates the patient had a mammogram performed (pre-populated if claim exists) • Indicates the patient did <u>not</u> have a mammogram performed • Indicates the patient did <u>not</u> have a mammogram performed for medical reasons • Indicates there was <u>not</u> a claim for an mammogram
Preventive Care	PC-6: Percentage of patients 50 years and older screened for colorectal cancer during the one-year measurement period	Colorectal Cancer Screening	PCFOBTPERFORM	Yes No Medical reason Patient reason System reason	Determine if colorectal cancer screening is current [fecal occult blood test (FOBT) annually, flexible sigmoidoscopy every five years, annual FOBT plus flexible sigmoidoscopy every five years, double-contrast barium enema every five years, colonoscopy every ten years]: <ul style="list-style-type: none"> • Indicates colorectal cancer screening is current • Indicates colorectal cancer screening is <u>not</u> current • Indicates colorectal cancer screening is <u>not</u> current for medical reasons • Indicates colorectal cancer screening is <u>not</u> current for patient reasons • Indicates colorectal cancer screening is <u>not</u> current for system reasons

**EHR Demonstration Data Elements for Preventive Care
Chart-based Measures that Office Staff Will Enter into the PAT Tool**

Category	Measure	Element	PAT Tool Data Element Name	Options from the PAT Tool	Description
Preventive Care	PC-7: Percentage of patients 50 years and older who received an Influenza Immunization	Influenza Immunization	PCFLUSHOT	<p>Yes</p> <p>No</p> <p>Medical reason</p> <p>Patient reason</p> <p>System reason</p>	<p>Determine if the patient received an influenza immunization from September through February of the measurement period:</p> <ul style="list-style-type: none"> • Indicates the patient did receive an influenza immunization • Indicates the patient did <u>not</u> receive an influenza immunization • Indicates the patient did <u>not</u> receive an influenza immunization for medical reasons • Indicates the patient did <u>not</u> receive an influenza immunization for patient reasons • Indicates the patient did <u>not</u> receive an influenza immunization system reasons
Preventive Care	PC-8: Percentage of patients 65 years and older who ever received a pneumococcal vaccination	Pneumococcal Vaccination	PCPNEUMOSHOT	<p>Yes</p> <p>No</p> <p>Medical reason</p> <p>Patient reason</p>	<ul style="list-style-type: none"> • Determine if the patient ever received a pneumonia vaccination: • Indicates the patient did receive an pneumonia vaccination • Indicates the patient did <u>not</u> receive an pneumonia vaccination • Indicates the patient did <u>not</u> receive an pneumonia vaccination for medical reasons • Indicates the patient did <u>not</u> receive an pneumonia vaccination for patient reasons